

Spencer *Study Club*



Quiz

- Scan and email completed quiz questions to Darcie@SleepIdaho.com, or fax to (208) 376-3616.
- Allow 7-10 days for scoring, printing & mailing of CE certificate, and submission of credits to AGD (if desired).
- If you would like your credits submitted to the AGD, please include your information and AGD member number on the form.
- The course verification code will be given during the webinar.

October 17, 2017 Webinar CE Quiz

Total 1 hour of qualified CE



Course Attendance Verification

The Center for Sleep Apnea & TMJ
8119 W. Ustick Rd., Ste. 103
Boise, ID 83704

Participant's Name: _____

State and License #: _____ AGD ID#: _____

Email Address: _____ Phone #: _____

Address: _____

Course Title: _____ Appliance Selection and Avoiding Side Effects with Oral Appliance Therapy _____

Speaker Name: _____ Jamison R. Spencer, DMD, MS _____

Educational Method: _____ Online Videos & Quiz _____ Total CDE Hours: _____ 1 _____

Course Date: _____ 10 / 17 / 17 _____ Location: _____ Webinar _____

AGD Subject Code: _____ 730 Sleep Medicine _____

Course Verification Code (given at the end of the program): _____



Jamison Spencer, DMD, MS
Spencer Study Club
The Center for Sleep Apnea & TMJ

The Center for Sleep Apnea & TMJ is designated as an Approved PACE Program Provider by the Academy of General Dentistry. The formal continuing dental education programs of this program provider are accepted by AGD for Fellowship/Mastership and membership maintenance credit. Approval does not imply acceptance by a state or provincial board of dentistry or AGD endorsement. The current term of approval extends from 9/1/2016 to 8/31/2019. Provider ID#: 360548

1. Something that is important to note upon clinical examination when choosing an oral appliance is:
 - A. Whether or not the patient has a crowded airway, in which case a mono block appliance would be indicated.
 - B. Whether or not the patient has evidence of lateral bruxism, in which case an appliance which allows good lateral motion would be indicated.
 - C. If the patient has mandibular tori, in which case a herbst style appliance would be contraindicated.
 - D. The patient having poor manual dexterity, in which case an oral appliance would be contraindicated.
 - E. Which appliance the patient's insurance will cover.

2. When your patient has a distinct "click" in the TMJ when they open their mouth, this usually means:
 - A. That their condyle is moving ON to the disc, or in other words that the disc is coming in to the correct position.
 - B. That their condyle is moving OFF the disc, or in other words that the disc is moving out of the correct position.
 - C. That the condyle is moving over the articular eminence and usually has nothing to do with the disc.
 - D. That their jaw is OFF the disc most of the time and only gets on the disc when they open.
 - E. Both A and D.

3. In order to avoid separation, or loss of contact, between the most posterior mandibular teeth it is important to:
 - A. Only use digital impressions.
 - B. Use hard wax for your bite registrations.
 - C. Ask the lab to wrap the distal of the most posterior tooth, and confirm this occurs.
 - D. Take orthodontic quality photographs.
 - E. None of the above.

4. A "morning repositioner" is important to help a patient get their mandible back to it's habitual position. When making a morning repositioner Dr. Spencer feels it is very important to:
 - A. Use a morning repositioner that covers all of the teeth and is 1-2 mm in thickness.
 - B. Fit the morning repositioner within the first month of fitting the appliance.
 - C. Make the morning repositioner chairside, cover only the anterior teeth, and make CERTAIN that the patient has posterior contact.
 - D. Explain to the patient that even if their bite feels "normal" to them in the morning they should use their morning repositioner at least a couple times per week, to make sure nothing is moving/changing.
 - E. Both C and D.

5. "Jaw pain":
 - A. Needs to be determined if the pain is coming mostly from the TMJ or the masseter/temporalis.
 - B. **May** be due to the patient "fighting the appliance" if the airway is not being protected.
 - C. **May** respond to bringing the jaw FORWARD if the patient reports continued snoring and not feeling rested.
 - D. **May** respond to reducing the vertical if the pain seems to be more in the masseter.
 - E. **May** be related to choosing an appliance that does NOT allow much lateral motion in a patient with evidence of historical lateral bruxism.
 - F. All of the above.